



Best Management Practices

These best management practices (BMPs) are designed to assist growers applying Stryax™ herbicide to dicamba-tolerant soybeans and cotton. It's important to follow these BMPs on every field to help avoid and control weed resistance.

Crop selection and cultural practices:

- Understand the biology of the weeds present.
- Use a diversified approach toward weed management, focused on preventing weed-seed production and reducing the number of weed seeds in the soil seedbank.
- Emphasize cultural practices that suppress weeds by using crop competitiveness.
- Plant into weed-free fields, keep fields as weed-free as possible, and note areas where weeds were a problem in prior seasons.
- Incorporate additional weed-control practices whenever possible, such as mechanical cultivation, biological management practices, crop rotation and weed-free crop seeds, as part of an integrated weed-control program. Do not allow weed escapes to produce seeds, roots or tubers.
- Manage weed seed at harvest and post-harvest to prevent a buildup of the weed seed bank.
- Prevent field-to-field and within-field movement of weed seed or vegetative propagules.
- Thoroughly clean plant residues from equipment before leaving fields.
- Prevent an influx of weeds into the field by managing field borders.
- Scout fields before application to ensure herbicide and application rates will be appropriate for the weed species and weed sizes present.
- Scout fields after application to confirm herbicide effectiveness and to detect weed escapes.
- If resistance is suspected, treat weed escapes with a different mechanism-of-action herbicide or use non-chemical methods to remove weed escapes.

Herbicide selection:

- Use a broad-spectrum, soil-applied herbicide with a mechanism of action that differs from this product as a foundation in a weed-control program.
- A broad-spectrum weed-control program should consider all weeds present in the field. Weeds should be identified through scouting and field history.
- Difficult-to-control weeds may require sequential applications of herbicides with alternative mechanisms of action.
- Fields with difficult-to-control weeds should be rotated to crops that allow the use of herbicides with alternative mechanisms of action.
- Apply full rates of this herbicide for the most difficult-to-control weeds in the field. Applications should be made when weeds are at the correct size to minimize weed escapes.
- Report any incidence of non-performance of this product against a particular weed species to Bayer or its representatives.



Bayer is a member of Excellence Through Stewardship® (ETS). Bayer's biotechnology-derived products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Where applicable, commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from commercialized products can only be exported to, or used, processed or sold in countries where all applicable regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for commercialized products. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

Stryax™ herbicide is a restricted use pesticide and must always be tank-mixed with a qualified volatility reduction agent (VRA), such as a VaporGrip® Xtra Agent, and a drift reduction agent (DRA) as required on the product label. For qualified VRAs and other important label information, visit www.StryaxApplicationRequirements.com. **ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.**

The user must check <http://www.stryaxapplicationrequirements.com> no more than 7 days before application of this product for additional labeling and any additional state-specific labeling. Where applicable, users must comply with additional requirements found on www.StryaxApplicationRequirements.com.

It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. **ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION.** Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with products with XtendFlex Technology.

Not all products are registered for use in all states and may be subject to use restrictions. B.t. products may not yet be registered in all states. Check with your seed brand representative for the registration status in your state.

Forecasts are for planning purposes only and are not a substitute for checking actual weather conditions at your location at the time of application and complying with the product label and other legal requirements.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Plants that are not tolerant to glyphosate, dicamba, and/or glufosinate may be damaged or killed if exposed to those herbicides. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Stryax™ herbicide is a restricted use pesticide. The distribution, sale, or use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. Check with your state department(s) of agriculture, local dealer or representative for the product registration status in your state. Not all products are registered for use in all states and may be subject to use restrictions. Bayer, Bayer Cross, and Roundup Ready 2 Technology® are trademarks of Bayer Group. LibertyLink® logo and LibertyLink® are trademarks of BASF Corporation. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at www.BayerCropScience.us. Bayer CropScience LLC, 800 North Lindbergh Boulevard, St. Louis, MO 63167. ©2026 Bayer Group. All rights reserved.