

# STRYAX™

DICAMBA HERBICIDE

## OVERVIEW OF APPLICATION REQUIREMENTS

This overview contains a subset of Stryax™ herbicide label requirements. It is not a substitute for reading, understanding, and following the full product label.

Visit [StryaxApplicationRequirements.com](http://StryaxApplicationRequirements.com) for qualified VRAs, product labeling, and other important label information.

### MANDATORY TRAINING



Prior to application, the user **MUST** complete annual mandatory training for certification.

### RECORD KEEPING



Records **MUST** be created, maintained, and made available to federal and state officials in accordance with any applicable federal and state record-keeping requirements.

### APPLICATION

## VaporGrip® Xtra AGENT

A qualified volatility reduction agent **MUST** be included in the spray solution for **EVERY** application. An oil emulsion drift reduction agent must be included in every application.

# STRYAX™

DICAMBA HERBICIDE

### APPLICATION RATE AND TIMING

Maximum of 1.0 lb ae/A of any dicamba products annually on the field. Apply **ONLY** 22 fluid ounces per acre (.5 lb ae/A) for any single pre-emergent (i.e., burndown, preplant, at planting, up to crop emergence) or in-crop application in:

- Cotton with XtendFlex® Technology up to 7 days prior to harvest.
- Soybeans with Roundup Ready 2 Xtend® Technology or XtendFlex Technology through R1. Applications occurring after R1 are prohibited as crop response may occur.
- Some states may have additional restrictions. Check [StryaxApplicationRequirements.com](http://StryaxApplicationRequirements.com).
- A maximum of two applications of 22 fl oz/A can be applied Preplant, At-Planting, Preemergence, and Postemergence.
- The user must check [StryaxApplicationRequirements.com](http://StryaxApplicationRequirements.com) no more than seven days before application of this product for additional labeling, including state restrictions.

Mandatory use of 40 oz/A (or equivalent) of qualified Volatility Reduction Agent (VRA) with every application. Qualified VRAs & application rate can be found on [StryaxApplicationRequirements.com](http://StryaxApplicationRequirements.com). Mandatory use of an oil emulsion Drift Reduction Agent (DRA) with every application at a rate of 0.3% volume-to-volume.



### SPRAY VOLUME

Apply in a minimum of 15 gallons of spray solution per acre.



**TANK MIXING DO NOT** tank-mix with ammonium sulfate or ammonium-sulfate containing products. Please refer to all product labels to determine mix order or perform a mix compatibility test.

### APPLICATION EQUIPMENT



**SPRAY SYSTEM EQUIPMENT CLEANOUT** Ensure entire sprayer system is properly cleaned before **AND** after application using a triple-rinse procedure.



**NOZZLES** Apply this product with nozzles calibrated to apply coarse or coarser droplets.

### SPRAY BOOM HEIGHT

DO NOT exceed a boom height of 24 inches above target pest or crop canopy.



**GROUND SPEED** DO NOT exceed 15 mph.

### RUNOFF / EROSION MITIGATION



Calculate your Runoff/Erosion Mitigation points for your fields. A minimum of 3 points are required; 6 in a Pesticide Use Limitation Area. <https://www.epa.gov/pesticides/mitigation-menu>

### TEMPERATURE REQUIREMENTS



For applications occurring when the forecasted temperature is  $\geq 85^{\circ}\text{F}$  and  $< 95^{\circ}\text{F}$  on the day or the day after application — **DO NOT** treat more than 50% of dicamba-tolerant cotton and soy acres managed by grower within the county.

No applications allowed when forecasted maximum temperature for the day or the day after application is  $95^{\circ}\text{F}$  or above.

### ENVIRONMENTAL CONDITIONS



3-10 mph

**WIND SPEED** Apply when wind speed, measured at boom height, is 3-10 mph. Applications prohibited if a dicamba-sensitive crop or plants are downwind.



### INVERSIONS


**DO NOT SPRAY** during a temperature inversion. Applications may only be made starting one hour after sunrise and ending two hours before sunset.



### RAINFALL

**DO NOT SPRAY** when rainfall is expected within 4 hours of application or if rainfall that may exceed soil field capacity is forecast to occur within 48 hours.

### DOWNWIND REQUIREMENTS



### ADJACENT SENSITIVE CROPS AND PLANTS

**DO NOT SPRAY** when wind is blowing toward adjacent sensitive crops and/or plants as defined on the label.



**DOWNWIND BUFFER** After determining no adjacent sensitive crops and/or plants are downwind, always maintain a downwind buffer. See label for buffer composition and options for reducing the buffer distance.

### ENDANGERED SPECIES

Consult Endangered Species Protection Bulletins for Pesticide Use Limitation Area restrictions obtained from EPA's Bulletins Live! (<https://www.epa.gov/pesticides/bulletins>) Obtain bulletins no more than six months before using these products.

**FOR INCIDENTS OF NONPERFORMANCE OR OFF-TARGET MOVEMENT OR FOR QUESTIONS REGARDING BUFFER REQUIREMENTS OR SENSITIVE CROP REGISTRIES, CALL 1-866-99BAYER (1-866-992-2937).**

**FOR BEST RESULTS, SPRAY WEEDS THAT ARE LESS THAN 4 INCHES TALL.**

**ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.** Stryax™ herbicide is a restricted use pesticide and must always be tank-mixed with a qualified volatility reduction adjuvant (VRA), such as a VaporGrip® Xtra Agent, and a drift reduction agent (DRA) as required on the product label. For qualified VRAs and other important label information visit [www.StryaxApplicationRequirements.com](http://www.StryaxApplicationRequirements.com).

The user must check [www.StryaxApplicationRequirements.com](http://www.StryaxApplicationRequirements.com) no more than 7 days before application of this product for additional labeling and any additional state-specific labeling. Where applicable, users must comply with additional requirements found on [www.StryaxApplicationRequirements.com](http://www.StryaxApplicationRequirements.com).

Stryax™ herbicide is a restricted use pesticide. The distribution, sale, or use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. Check with your state department(s) of agriculture, local dealer or representative for the product registration status in your state. Not all products are registered for use in all states and may be subject to use restrictions. Stryax™ herbicide and VaporGrip® are registered trademarks of Bayer Group. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at [cropscience.bayer.us](http://cropscience.bayer.us). Bayer CropScience LLC, 800 North Lindbergh Boulevard, St. Louis, MO 63167. ©2026 Bayer Group. All rights reserved.



BAYER  
STEWARDSHIP  
TRAINING



STRYAX  
APPLICATION  
REQUIREMENTS