

SUMMARY OF APPLICATION REQUIREMENTS

APPLICATOR PREPARATION

- MANDATORY TRAINING & CERTIFICATION**
 Only applicators who are certified and have completed dicamba training may apply.
- APPLICATION TIMING**
 Applications must occur between one hour after sunrise and two hours before sunset. (DO NOT spray during a TEMPERATURE INVERSION.) Application cutoff in dicamba-tolerant soybeans and cotton is June 30. Applications of dicamba are prohibited from July 1 to October 31.
- RECORD KEEPING**
 - Application records must be kept for 3 years and must be available for inspection by Plant Board representatives
 - In addition to the records required by the federal label, applicators must record:
 - Type of equipment used, and Firm's Application Equipment Number if applied by a commercial applicator
 - Type of instrument used to measure wind speed and direction and location of instrument at the time of reading
 - Visit stryxapplicationrequirements.com for the Arkansas record keeping form.
- SENSITIVE CROPS**
 Do not apply when wind is blowing toward adjacent sensitive crops and plants.
- ENDANGERED SPECIES**
 Additional protection measures are required in specific counties where endangered species may exist.
 Visit: EPA.gov/Pesticides/Bulletins.
- RUNOFF/EROSION MITIGATION**
 Calculate your Runoff/Erosion Mitigation points for your fields. A minimum of 3 points are required; 6 in a Pesticide Use Limitation Area.
- DOWNWIND BUFFER**
 - A ¼ mile buffer, in all directions, from non-dicamba-tolerant crops.
 - A ½ mile buffer, in all directions, from certified organic crops and commercially grown specialty crops.
 - A 1-mile buffer, in all directions, from University or USDA research stations.
 Use the Arkansas Buffer Tool (croppscience.bayer.us/tools/stryx) to help calculate your buffer.

SPRAYER SETUP

- SPRAY VOLUME**
 Apply in a minimum of 15 gallons of spray solution per acre.
- GROUND SPEED**
 Do not exceed 15 mph ground speed.
- SPRAY BOOM HEIGHT**
 Do not exceed a boom height of 24 inches above target pest or crop canopy.
- WIND SPEED**
 Apply when wind speed, measured at boom height, is between 3 and 10 mph.
- SPRAY SYSTEM EQUIPMENT CLEANOUT**
 Ensure that entire sprayer system is properly cleaned before AND after using this product to avoid potential contamination.

NOZZLES & TANK MIXES

- NOZZLES**
 Apply this product with nozzles calibrated to apply coarse or coarser droplets
 - TANK-MIX PARTNERS.**
 Products containing ammonium sulfate are prohibited in applications that include Stryax™ herbicide. All applications require a qualified VRA and oil-emulsion DRA in the tank mix.
- Visit StryxApplicationRequirements.com for VRA and product and state-specific labeling.



APPLICATION RATES

COMBINED TOTAL PER YEAR FOR ALL DICAMBA APPLICATIONS	44 FLUID OUNCES PER ACRE
TOTAL OF ALL PREPLANT, AT-PLANTING, PREEMERGENCE, AND POSTEMERGENCE	44 FLUID OUNCES PER ACRE
SINGLE APPLICATION RATE	22 FLUID OUNCES PER ACRE

Applications occurring when the forecasted maximum temperature is $\geq 85^{\circ}\text{F}$ and $< 95^{\circ}\text{F}$ on the day of or the day after application – DO NOT treat more than 50% of dicamba-tolerant cotton and soy acres managed by grower within the county.

No applications allowed when forecasted maximum temperature for the day of or the day after application is 95°F or above.

APPLICATION WINDOW



THIS SUMMARY IS NOT A SUBSTITUTE FOR READING AND FOLLOWING ALL PRODUCT LABELING.

FOR PRODUCT QUESTIONS OR INQUIRIES AND/OR TO REPORT ANY NON-PERFORMANCE OF THIS PRODUCT AGAINST ANY PARTICULAR WEED SPECIES, CALL 1-866-99BAYER

1-866-992-2937 (Option 5)

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Stryax™ herbicide is a restricted use pesticide and must always be tank-mixed with a qualified volatility reduction adjuvant (VRA), such as a VaporGrip® Xtra Agent, and a drift reduction agent (DRA) as required on the product label. For qualified VRAs and other important label information visit www.StryxApplicationRequirements.com.

The user must check www.StryxApplicationRequirements.com no more than 7 days before application of this product for additional labeling and any additional state-specific labeling. Where applicable, users must comply with additional requirements found on www.StryxApplicationRequirements.com.

Stryax™ herbicide is a restricted use pesticide. The distribution, sale, or use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. Check with your state department(s) of agriculture, local dealer or representative for the product registration status in your state. Not all products are registered for use in all states and may be subject to use restrictions. Stryax™ herbicide and VaporGrip® are registered trademarks of Bayer Group. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at croppscience.bayer.us. Bayer CropScience LLC, 800 North Lindbergh Boulevard, St. Louis, MO 63167. ©2026 Bayer Group. All rights reserved.

StryxApplicationRequirements.com