



## SUMMARY OF APPLICATION REQUIREMENTS

### APPLICATOR PREPARATION

• **MANDATORY TRAINING & CERTIFICATION**

Only applicators who are certified and have completed dicamba training may apply.

• **APPLICATION TIMING**

Applications must occur between one hour after sunrise and two hours before sunset. (DO NOT spray during a TEMPERATURE INVERSION.) For soybeans, DO NOT apply after June 20.

• **DOWNWIND BUFFER**

Must maintain a 240-foot downwind buffer. (See label for buffer reduction options.)

• **RECORD KEEPING**

Records must be created, maintained, and made available to federal and state officials in accordance with any applicable federal and state record-keeping requirements.

• **ENDANGERED SPECIES**

Additional protection measures are required in specific counties where endangered species may exist. Visit: EPA.gov/Pesticides/Bulletins.

• **SENSITIVE CROPS**

Do not apply when wind is blowing toward adjacent sensitive crops and plants. Application on soybeans of a pesticide containing dicamba shall not be made if the wind is blowing toward:

- Any Illinois Nature Preserves Commission site that is adjacent to the field of application
  - An adjacent residential area
- Before applying a pesticide containing dicamba on soybeans, the applicator shall

consult the FieldWatch sensitive crop registry (<https://www.fieldwatch.com>) and comply with all associated record-keeping and label requirements.

• **RUNOFF/EROSION MITIGATION**

Calculate your Runoff/Erosion Mitigation points for your fields. A minimum of 3 points are required; 6 in a Pesticide Use Limitation Area.

### SPRAYER SETUP

**SPRAY VOLUME**

Apply in a minimum of 15 gallons of spray solution per acre.

**SPRAY BOOM HEIGHT**

Do not exceed a boom height of 24 inches above target pest or crop canopy.

**WIND SPEED**

Apply when wind speed, measured at boom height, is between 3 and 10 mph.

**GROUND SPEED**

Do not exceed 15 mph ground speed.

**SPRAY SYSTEM EQUIPMENT CLEANOUT**

Ensure that entire sprayer system is properly cleaned before AND after using this product to avoid potential contamination.

### APPLICATION RATES

COMBINED TOTAL PER YEAR FOR ALL DICAMBA APPLICATIONS	44 FLUID OUNCES PER ACRE
TOTAL OF ALL PREPLANT, AT-PLANTING, PREEMERGENCE, AND POSTEMERGENCE	44 FLUID OUNCES PER ACRE
SINGLE APPLICATION RATE	22 FLUID OUNCES PER ACRE

A pesticide containing dicamba shall not be applied on soybeans if the air temperature at the field at the time of application is over 85°F or if the National Weather Service's forecasted high temperature for the nearest available location for the day of application exceeds 85°F. Local National Weather Service forecasts are available at <https://www.weather.gov>.

### NOZZLES & TANK MIXES

• **TANK-MIX PARTNERS.**

Products containing ammonium sulfate are prohibited in applications that include Stryax™ herbicide. All applications require a qualified VRA and oil-emulsion DRA in the tank mix.

Visit [StryaxApplicationRequirements.com](http://StryaxApplicationRequirements.com) for qualified VRA and product and state-specific labeling.


• **NOZZLES**

Apply this product with nozzles calibrated to apply coarse or coarser droplets.

### APPLICATION WINDOW

#### Stryax™ Herbicide Application Window in Soybeans

Preemergence through R1 (Beginning Bloom) or June 30, whichever comes first.



**THIS SUMMARY IS NOT A SUBSTITUTE FOR READING AND FOLLOWING ALL PRODUCT LABELING.**

FOR PRODUCT QUESTIONS OR INQUIRIES AND/OR TO REPORT ANY NON-PERFORMANCE OF THIS PRODUCT AGAINST ANY PARTICULAR WEED SPECIES, CALL 1-866-99BAYER

1-866-992-2937 (Option 5)

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Stryax™ herbicide is a restricted use pesticide and must always be tank-mixed with a qualified volatility reduction adjuvant (VRA), such as a VaporGrip® Xtra Agent, and a drift reduction agent (DRA) as required on the product label. For qualified VRAs and other important label information visit [www.StryaxApplicationRequirements.com](http://www.StryaxApplicationRequirements.com).

The user must check [www.StryaxApplicationRequirements.com](http://www.StryaxApplicationRequirements.com) no more than 7 days before application of this product for additional labeling and any additional state-specific labeling. Where applicable, users must comply with additional requirements found on [www.StryaxApplicationRequirements.com](http://www.StryaxApplicationRequirements.com).

Stryax™ herbicide is a restricted use pesticide. The distribution, sale, or use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. Check with your state department(s) of agriculture, local dealer or representative for the product registration status in your state. Not all products are registered for use in all states and may be subject to use restrictions. Stryax™ herbicide and VaporGrip® are registered trademarks of Bayer Group. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at [cropscience.bayer.us](http://cropscience.bayer.us). Bayer CropScience LLC, 800 North Lindbergh Boulevard, St. Louis, MO 63167. ©2026 Bayer Group. All rights reserved.

[StryaxApplicationRequirements.com](http://StryaxApplicationRequirements.com)